


## CEOWNIKI



A	wymiar [mm]			waga [kg/m]	gatunek			
	B	G	G1		1350	5083	6060	6082
10	10	1		0,08			•	
	10	1,5		0,11			•	
	10	2		0,15			•	
12	20	2		0,21			•	
	12	2		0,19			•	
	14	2		0,22			•	
15	15	1,5		0,17			•	
	15	2		0,24			•	
	20	1,5		0,21			•	
18	25	1,5		0,25			•	
	18	2		0,27			•	
	19	1,25		0,17			•	
20	10	2		0,20			•	
	15	2		0,25			•	
	20	1,5		0,23			•	
25	20	2		0,30			•	
	20	3		0,47			•	
	30	2		0,41			•	
26	40	2		0,53			•	
	40	2,5		0,65			•	
	20	3		0,47			•	
30	25	1		0,20			•	
	25	2		0,38			•	
	25	3		0,58			•	
32	32	2		0,45			•	
	20	3		0,48		•		
	10	2		0,25			•	
30	15	1		0,16			•	

wymiar [mm]				waga [kg/m]	gatunek			
A	B	G	G1		1350	5083	6060	6082
	15	2		0,30			•	
	15	3		0,44			•	
	20	2		0,36			•	
	20	3		0,54			•	
	30	1,5		0,36			•	
	30	2		0,45			•	
	30	3		0,69			•	
	30	4		0,87			•	
	40	3		0,86			•	
35	20	2		0,38			•	
	20	2		0,37			•	
	35	2		0,53			•	
	35	3		0,79			•	
40	10	1,5		0,21			•	
	15	2		0,37			•	
	20	2		0,41			•	
	20	2,5		0,50			•	
	20	3		0,61			•	
40	20	4		0,77			•	
	30	2		0,53			•	
	30	3		0,77			•	
	30	4		0,99			•	
	40	2		0,68			•	
	40	2,5		0,73			•	
	40	3		0,91			•	
	40	4		1,19			•	
	40	5		1,48			•	
	50	2		0,71			•	

wymiar [mm]				waga [kg/m]	gatunek			
A	B	G	G1		1350	5083	6060	6082
	60	4		1,68			•	
	60	5		2,02			•	
45	25	3		0,73			•	
	45	2,5		0,91			•	
50	20	2		0,48			•	
	25	1		0,26			•	
	25	1		0,26			•	
	25	2,5		0,64			•	
	25	3		0,74			•	
	30	2		0,54			•	
	30	3		0,85			•	
	30	4		1,12			•	
	40	3		1,00			•	
	40	4		1,34			•	
	40	5		1,64			•	
	50	2		0,80			•	
	50	3		1,20			•	
	50	4		1,54			•	
	50	5		1,88			•	
	30	20	2	0,39			•	
52,5	140	11		9,22	•			
55	25	2		0,58			•	
	45	2		0,83			•	
60	20	2		0,51	•			
	20	2,5		0,68			•	
	25	2,5		0,69			•	
	30	3		0,92			•	
	30	4		1,20			•	



wymiar [mm]				waga [kg/m]	gatunek			
A	B	G	G1		1350	5083	6060	6082
	40	2,5		0,91			•	
	40	3		1,09			•	
	40	4		1,40			•	
	40	5		1,75			•	
	50	2		0,78			•	
	50	2,5		0,17			•	
	50	3		1,23			•	
	60	4		1,82			•	
60	60	5		2,29			•	
	60	6		2,72			•	
65	25	2,5		0,72			•	
	40	6		2,16			•	
	55	2,5		1,10			•	
70	35	3		1,07			•	
	40	4		1,54			•	
80	20	2		0,64			•	
	30	3		1,05			•	
	40	3		1,27			•	
	40	4		1,67			•	
	40	6		2,36			•	
	45	6		2,48			•	
	50	3		1,41			•	
	50	5		2,26			•	
	60	5		2,52			•	
	80	4		2,53			•	
	80	8		4,76				•
85	85	3		1,98			•	
86	40	3		1,36			•	

wymiar [mm]				waga [kg/m]	gatunek			
A	B	G	G1		1350	5083	6060	6082
90	50	3		1,43				•
100	20	2		0,79			•	
	40	3		1,33			•	
	40	4		1,75			•	
	40	10		4,27			•	
	50	3		1,49			•	
	50	5		2,60			•	
	50	6		3,16			•	
	50	8		3,97			•	
	50	10		4,87			•	
	55	8		4,25				•
	100	5		3,79			•	
105	40	3		1,45			•	
110	50	3		1,64				•
120	40	3		1,50			•	
	45	10		5,12			•	
	55	7	9	4,66			•	
	60	8		4,85			•	
	65	7,5		4,70			•	
140	60	8		5,25			•	
150	50	10		6,13			•	
160	80	8		6,49			•	
180	50	6		4,27				•
	64	4		3,21			•	
200	40	3		2,34			•	
	100	12		12,52			•	

